CARBOHYDRATE RESEARCH VOL. 209 (1991)

AUTHOR INDEX

Baer, H. H., 181 Basu, M., 261 Bellver, C., 279 Bender, H., 145 Beynon, L. M., 211, 225 Bianchi, E., 251 Bock, K., 51

Brasch, D. J., 191 Breton, R. L., 181

Calle, P., 1 Conio, G., 251 Cosani, A., 251

Das, K. K., 261 Dayal-Drager, R., c5 Decrind, C., c5 Dehmel, K., 89 Del Guidice, G., c5 Dell, A., 33 Ding, Y., 306 Duus, J. Ø., 51

Faleschini, P., 203 Fernández de la Pradilla, R., 296 Fernandez-Bolaños Guzmán, J., 51, 279 Frick, W., 101

Garcia Mendoza, P., 131, 311 Greer, F., 33

Haplová, J., 83 Hasegawa, A., c1 Hernandez Mateo, F., 131 Heusinger, H., 109 Hiyama, J., 33 Hoessli, D. C., c5

Inaba, K., 289 Ishida, H., Cl

Jaramillo, C., 296

Kameyama, A., c1 Kéry, V., 83 Khan, F. A., 261 Kiso, M., c1 Kneissl, G., 89 Knödler, U., 89 Kolar, C., 89 Koufaki, M., 299 Kučár, Š., 83

Lambert, P.-H., c5 Lindhorst, T. K., 119 Liu, Y., 306 López-Castro, A., 279, 285

Marsano, E., 251 Martín-Lomas, M., 296 Matulová, M., 83 Melton, L. D., 191 Molina Molina, J., 155 Moreau, M., 225 Moreno, E., 285 Morris, H. R., 33

Nasir-ud-Din, c5 Nitta, Y., 167

Oddon, Y., 67 Ogawa, S., 51 Osanai, S., 289 Oxley, D., 319

Pavia, A. A., 67 Pépe, G., 67 Perez-Garrido, S., 285 Perry, M. B., 211, 225

Reboul, J.-P., 67 Redfern, J. M., 33 Redgwell, R. J., 191 Renwick, A. G. C., 33 Richards, J. C., 211, 225 Rogers, M. E., 33

Sanchez, A., 1
Santoyo Gonzalez, F., 131, 155, 311
Schmidt, R. R., 101
Serianni, A. S., 13
Shimono, Y., 167
Sieiro, C., 1
Siri, D., 67
Smith, E., 239
Steeneken, P. A. M., 239

Takeo, K., 167

Teramoto, Y., 167 Terbojevich, M., 251 Thiem, J., 119 Tronchet, J. M. J., 299

Vargas Berenguel, A., 131, 155, 311 Vuorinen, T., 13 Weisshaar, G., 33 Wilkinson, S. G., 319

Yokoi, S., 51 Yoshikawa, S., 289

Zevenhuizen, L. P. T., 203 Zhang, B.-J., 261 Zosimo-Landolfo, G., 299

SUBJECT INDEX

- N-Acetyl-D-glucosaminyltransferases from human colon carcinoma cells, biosynthesis of lactoglycosphingolipids by, 261
- Actinobacillus pleuropneumoniae serotype 7, structure of the capsular polysaccharide from, 211
- Actinobacillus pleuropneumoniae serotype 7, structure of the O-antigen polysaccharide of, 225
- Aldose epimerization by Ni(II): effect of ethercontaining alkylenediamine ligands, 289
- Alkaline degradation of monosaccharides in methyl sulfoxide, a study by e.s.r. spectroscopy,
- Alkyl [(alkyl 6-deoxy-α-D-gluco-heptopyranosyluronate) 6-deoxy-α-D-gluco-heptopyranosid] uronates, a novel type of mirror cord factor, synthesis of, 181
- 3-Amino-3,6-dideoxy-α-L-hexopyranosides branched at C-3, synthesis of methyl, 311
- 3-Amino sugar derivatives, application of the Hofmann rearrangement in the synthesis of,
- 1D-1,2-Anhydro-myo-inositol, synthesis of, 296
- O-Antigen polysaccharide of Actinobacillus pleuropneumoniae serotype 7, structure of the, 225
- Antigenic determinants of human glycophorin A_M and A_N , differentiation of the structural features of the T_N and T, in relation to their specificity, 67
- Bergenin-type *C*-glucosylarenes, synthesis of, 101 Boat—chair equilibrium in the glucuronate residue of chondrosine, evidence for a, c13
- 3-tert-Butoxycarbonylamino-3-cyano-3-deoxy and 3-acetamidomethyl-3-tert-butoxycarbonylamino-3-deoxy sugars, preparation of some, 131
- Cell-wall polysaccharides of kiwifruit (*Actinidia deliciosa*): effect of ripening on the structural features of cell-wall materials, 191
- Chain rigidity of chitosan, and mesophase formation, 251
- Chitosan, chain rigidity and mesophase formation, 251
- Chondrosine, evidence for a boat-chair equilibrium in the glucuronate residue of, c13
- Conformational analysis of the amino termini (5 residues) of human glycophorin A_M and A_N:

- differentiation of the structural features of the T_N and T antigenic determinants in relation to their specificity, 67
- Conformational study of eight pseudo-trehaloses, an n.m.r. spectroscopic and, 51
- Cord factor, synthesis of alkyl [(alkyl 6-deoxy-α-D-gluco-heptopyranosyluronate) 6-deoxy-α-D-gluco-heptopyranosid]uronates, a novel type of mirror pseudo, 181
- Crystal and molecular structure of 1,3-dihydro-4-(3,4-*O*-isopropylidene-D-*arabino*-tetritol-1-yl)-3-methyl-1-*p*-tolyl-2*H*-imidazole-2-thione, 279
- Cyclodextrin glycosyltransferase, chemical modification of histidine residues with diethyl pyrocarbonate, 145
- 4-Deoxy and 4-deoxy-4-halogeno derivatives of L-fucose, synthesis as potential enzyme inhibitors, 119
- Diethyl pyrocarbonate, chemical modification of histidine residues in cyclodextrin glycosyltransferase with, 145
- 1,3-Dihydro-4-(3,4-*O*-isopropylidene-D-*arabino*-tetritol-1-yl)-3-methyl-1-*p*-tolyl-2*H*-imidazole-2-thione, crystal and molecular structure of, 279
- 1,6-Dioxa-3-azaspirol[4.5]decane, X-ray structure of (5S, 8R, 9R, 10S)-8,9,10-triacetoxy-3-acetyl, 285
- Dissaccharide derivatives, immobilisation of β-D-galactosidase from *Escherichia coli* on cellulose beads and its use for the synthesis of, 83
- Effect of ether-containing alkylenediamine ligands, aldose epimerization by Ni(II), 289
- Effect of the concentration of sodium chloride in the medium on the relative proportions of polyand oligo-saccharides excreted by *Rhizobium* meliloti strain YE-2SL, 203
- Efficient synthesis of 2,4-dideoxy-4-hydroxyphosphinyl-D-*erythro*-pentofuranose, an, c9
- Epimerization by Ni(II): effect of ether-containing alkylenediamine ligands on aldose, 289
- E.s.r. spectroscopy, a study of the alkaline degradation of monosaccharides by, 1
- Fast-atom-bombardment mass spectrometry of sulphated oligosaccharides from ovine lutropin, 33

- L-Fucose, synthesis of 4-deoxy and 4-deoxy-4halogeno derivatives of, as potential enzyme inhibitors, 119
- β-D-Galactosidase from *Escherichia coli*, immobilisation on cellulose beads and use for the synthesis of disaccharide derivatives, 83
- Gel-permeation chromatography of solutions of D-glucose after irradiation by ultrasound and γ-rays, 109
- Glucorhamnan from the lipopolysaccharide of Serratia marcescens strain S1254, structure of a, 319
- D-Glucose, gel-permeation chromatography of solutions of, after irradiation by ultrasound and γ -rays, 109
- C-Glucosylarenes, synthesis of bergenin-type, 101 Glucuronate residue of chondrosine, evidence for a boat-chair equilibrium in the, c13
- Glycolipids, *lacto*-, biosynthesis by *N*-acetyl-D-glucosaminyltransferases from human colon carcinoma cells, 261
- Glycophorin A_M and A_N, conformational analysis of the amino termini (5 residues) of human, 67
- O-Glycosylated glycoproteins in the *Plasmodium* falciparum parasite, c5
- Glycosylation variant and modification reactions of ε -(iso)rhodomycins, a new, 89
- Heptoseptanosides, synthesis of methyl 3-deoxy-3-nitro-, 155
- Histidine residues in cyclodextrin glycosyltransferase, chemical modification with diethyl pyrocarbonate, 145
- Hofmann rearrangement in the synthesis of 3amino sugar derivatives, application of the, 131
- N-Hydroxyimino groups and nitroxyl free radicals thereof, spacer arms bearing two, 299
- Immobilisation of β-D-galactosidase from *Escherichia coli* on cellulose beads and its use for the synthesis of disaccharide derivatives, 83
- myo-Inositol, synthesis of 1D-1,2-anhydro-, 296 Irradiation of solutions of D-glucose by ultrasound and γ-rays, gel-permeation chromatography of the products, 109
- Kiwifruit (*Actinidia deliciosa*), effect of ripening on the structural features of cell-wall materials,
- Lacto-glycolipids, biosynthesis by N-acetyl-D-glucosaminyltransferases from human colon carcinoma cells, 261
- Lewis X, sialyl, total synthesis, c1
- Lipopolysaccharide of *Serratia marcescens* strain S1254, structure of a glucorhamnan from the, 319

- Mass spectrometry of sulphated oligosaccharides from ovine lutropin, fast-atom-bombardment, 33
- Mesophase formation by chitosan, and chain rigidity, 251
- Methyl 3-amino- 3,6-dideoxy-α-L-hexopyranosides branched at C-3, synthesis of, 311
- Methyl 3-deoxy-3-nitroheptoseptanosides, synthesis of, 155
- Methylation of starch, topochemical effects in the, 239
- Molecular and crystal structure of 1, 3-dihydro-4-(3,4-*O*-isopropylidene-D-*arabino*-tetritol-1-yl)-3-methyl-1-*p*-tolyl-2*H*-imidazole-2-thione, 279
- Monosaccharides, a study by e.s.r. spectroscopy of alkaline degradation in methyl sulfoxide, 1
- Nitroxyl free radicals, spacer arms bearing two *N*-hydroxyimino groups and derived, 299
- N.m.r. spectroscopic and conformational study of eight pseudo-trehaloses, 51
- Oligosaccharides from ovine lutropin, fast-atombombardment mass spectrometry of sulphated, 33
- Oligosaccharides α -D-Glcp- $(1 \rightarrow 4)$ -D-Xylp, α -D-Xylp- $(1 \rightarrow 4)$ -D-Glcp, α -D-Glcp- $(1 \rightarrow 4)$ - α -D-Glcp- $(1 \rightarrow 4)$ -D-Xylp, α -D-Glcp- $(1 \rightarrow 4)$ - α -D-Xylp- $(1 \rightarrow 4)$ -D-Glcp, and α -D-Xylp- $(1 \rightarrow 4)$ - α -D-Glcp- $(1 \rightarrow 4)$ -D-Glcp, synthesis of the, 167
- Parasite, *Plasmodium falciparum*, presence of *O*-glycosylated glycoproteins in, c5
- D-erythro-2-Pentulose and D-threo-2-pentulose, synthesis, and analysis of the ¹³C- and ¹H-n.m.r. spectra of the 1-¹³C- and 2-¹³C-substituted sugars, 13
- Phosphinyl-D-*erythro*-pentofuranose, an efficient synthesis of 2,4-dideoxy-4-hydroxy, C9
- Plasmodium falciparum parasite, presence of O-glycosylated glycoproteins in, C5
- Poly- and oligo-saccharides excreted by *Rhizo-bium meliloti* strain YE-2SL, effect of the concentration of sodium chloride in the medium on the relative proportions of, 203
- Polysaccharide from Actinobacillus pleuropneumoniae serotype 7, structure of the capsular,
- Polysaccharides of kiwifruit (*Actinidia deliciosa*), effect of ripening on the structural features of cell-wall, 191
- Pseudo-trehaloses, an n.m.r. spectroscopic and conformational study of eight, 51
- Rhizobium meliloti strain YE-2SL, effect of the concentration of sodium chloride in the medi-

- um on the relative proportions of poly- and oligo-saccharides excreted by, 203
- ε-(Iso)rhodomycins, a new glycosylation variant and modification reactions, 89
- Semisynthetic ε-(iso)rhodomycins: a new glycosylation variant and modification reactions, 89
- Serratia marcescens strain S1254, structure of a glucorhamnan from the lipopolysaccharide of, 319
- Sialyl Lewis X, total synthesis, c1
- Spacer arms bearing two *N*-hydroxyimino groups and nitroxyl free radicals thereof, 299
- Spiropyranose derivative, X-ray structure of a,
- Starch, topochemical effects in the methylation of, 239
- Stereoselective syntheses of acetylated *o*-tolyl 1-thioglycosides, 306
- Structure of the capsular polysaccharide from *Actinobacillus pleuropneumoniae* serotype 7, 211
- Structure of the *O*-antigen of *Actinobacillus pleu*ropneumoniae serotype 7 lipopolysaccharide, 225
- Synthesis of alkyl [(alkyl 6-deoxy-α-D-gluco-heptopyranosyluronate) 6-deoxy-α-D-gluco-heptopyranosid]uronates, a novel type of mirror pseudo cord factor, 181

- Synthesis of 1D-1,2-anhydro-*myo*-inositol, 296 Synthesis of 2,4-dideoxy-4-hydroxyphosphinyl-D-*erythro*-pentofuranose, an efficient, c9
- Synthesis of bergenin-type *C*-glucosylarenes, 101 Synthesis of 4-deoxy and 4-deoxy-4-halogeno derivatives of L-fucose as potential enzyme inhibitors, 119
- Synthesis of methyl 3-amino-3,6-dideoxy-α-L-hexopyranosides branched at C-3, 311
- Synthesis of methyl 3-deoxy-3-nitroheptoseptanosides, 155
- Synthesis of the oligosaccharides α -D-Glcp- $(1\rightarrow 4)$ -D-Xylp, α -D-Xylp- $(1\rightarrow 4)$ -D-Glcp, α -D-Glcp- $(1\rightarrow 4)$ - α -D-Glcp- $(1\rightarrow 4)$ -D-Glcp, α -D-Xylp- $(1\rightarrow 4)$ -D-Glcp, and α -D-Xylp- $(1\rightarrow 4)$ -D-Glcp, 167
- 1-Thioglycosides, stereoselective syntheses of acetylated *o*-tolyl, 306
- o-Tolyl 1-thioglycosides, stereoselective syntheses of acetylated, 306
- Topochemical effects in the methylation of starch, 239
- X-ray structure of (5*S*, 8*R*, 9*R*, 10*S*)-8,9,10-triace-toxy-3-acetyl-1,6-dioxa-3-azaspiro[4.5]decane, a spiropyranose derivative, 285

